

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
9 September 2005 (09.09.2005)

PCT

(10) International Publication Number  
**WO 2005/083599 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**,  
161/00

(21) International Application Number:  
PCT/AU2005/000246

(22) International Filing Date: 24 February 2005 (24.02.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
2004900978 26 February 2004 (26.02.2004) AU

(71) Applicant (for all designated States except US): **PAL-  
TRONICS AUSTRALASIA PTY LIMITED** [AU/AU];  
Units 4, 12-14 Mangrove Lane, Taren Point, NSW 2229  
(AU).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **COWAN, Stephen**  
[AU/AU]; C/-Paltronics Australasia Pty Limited, Units

1-4, 1260 Princess Highway, Heathcote, NSW 2233 (AU).  
**WRIGHT, Dean** [AU/AU]; C/-Paltronics Australasia Pty  
Limited, Units 1-4, 1260 Princess Highway, Heathcote,  
NSW 2233 (AU).


(74) Agent: **SHELSTON IP**; 60 Margaret Street, Sydney,  
NSW 2000 (AU).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,  
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,  
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,  
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,  
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,  
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ,  
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA,  
ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: A METHOD OR APPARATUS FOR ALLOCATING A PLAYER'S CONTRIBUTION IN A GAMING APPARATUS  
BETWEEN A PLURALITY OF GAMES



(57) Abstract: A method and apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games is disclosed. The method includes the steps of receiving a contribution from a user, splitting the contribution into a number of parts in accordance with a predetermined ratio, allocating at least one of the parts of the contribution to one of the games, and modifying the predetermined ration in response the measured performance of the gaming apparatus. In particular embodiments, the modified ratio  $I_n$  is determined in accordance with formula (1) or formula (2) where  $I_0$  is the base ratio, RTP is the designed performance, T is the revenue, P is the total prizes and Q is a control variable.

$$I_n = I_{n-1} + \left[ \frac{RTP - \frac{P}{T}}{Q} \right] \quad (1)$$

$$I^n = I^0 + \left[ \frac{RTP - \frac{P}{T}}{Q} \right] \quad (2)$$



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Declaration under Rule 4.17:**

— *of inventorship (Rule 4.17(iv)) for US only*

**Published:**

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

- 1 -

TITLE: A METHOD OR APPARATUS FOR ALLOCATING A PLAYER'S CONTRIBUTION IN A GAMING APPARATUS BETWEEN A PLURALITY OF GAMES

## FIELD OF THE INVENTION

5           The present invention relates to a method or apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games.

          The invention has been developed primarily for use with a plurality of interlinked gaming terminals in one or more gaming establishments and will be described hereinafter predominantly with reference to this application. However, the  
10   invention is not limited to that particular field of use and is also suitable for use with online gaming, lotto, pools, lotteries, art unions, bingo, raffles and other games involving one or more wagers being placed upon an outcome having a finite probability of occurring. Additionally, the invention is applicable to any type of gaming, such as gaming that may be entered into on a personal computer via the  
15   Internet, for example.

## BACKGROUND

          The discussion of the prior art within this specification is to assist the addressee understand the invention and is not an admission of the extent of the common general knowledge in the field of the invention and is included without  
20   prejudice.

          It is known in gaming systems to specify the proportion of what a player inputs to a game that is returned to that player i.e. a proportion of the revenue of a gaming machine. This measure is referred to as the Return to Player (RTP) amount and is expressed as a percentage of the player input i.e. as the RTP percentage. The RTP can  
25   be described as the proportion of the value input by a player that contributes to the prizes paid out by the machine. The specific value of the RTP is determined by the attributes of the gaming device itself i.e. the likelihood of a winning combination accruing within a specified time period. Where the gaming device is a so called a "pokie" or "fruit" machine, the RTP% is determined by the probability of the winning  
30   combinations of symbols occurring on the reels over a given time. The time over which the RTP% is calculated is referred to as a cycle and is the number of plays of the game that would need to be played so that all possible sequences of symbols

- 2 -

appear to the player.

While the RTP% represents the expected performance of a machine over a specified time period, the actual performance can vary within that specified period. The actual performance is termed the Actual Return To Player Percentage (ARTP%).

5 The turnover (T) of a given gaming machine for a specified period is recorded in a turnover meter. Similarly, the total of the prizes paid out (P) for a machine is also recorded in a total payout meter. The ARTP% at any given time is the ratio of the turnover of a machine to the total of the prizes the machine has paid out over the specified period at that time.

10 In known gaming systems the RTP% is controlled by the manufacturer, operator or venue controller prior to gaming devices being available for play. The RTP% may be displayed to the players as required in some jurisdictions. The RTP% may be varied where gaming systems are provided with the functionality to enable the selection of the RTP%. In some cases this may be from a predetermined set of RTP%  
15 values (also known as variations). The manufacturer of the gaming system commonly determines such variations.

Gaming machines may be linked to other such machines to provide secondary gaming facilities such as a communal jackpot i.e. a jackpot that can be won by playing any one of an associated group of machines. The communal jackpot is available over  
20 and above the possible prizes from the base game being played on each individual machine. In this situation the revenue is split between the base game and the communal game. The manufacturers of the gaming system traditionally determine the proportion of the split.

One problem with the prior art arrangement is that some games provided by  
25 gaming machines are volatile. In other words the ARTP% varies significantly from the RTP% over the specified time period. As a result, the current performance of the machine may vary undesirably from the intended performance. This can result in the machine not awarding prizes of the size or frequency that is expected or required by the gaming machine user or operator.

## 30 SUMMARY OF THE INVENTION

It is an object of the present invention to overcome or ameliorate at least one of the disadvantages of the prior art, or to provide a useful alternative.

- 3 -

According to a first aspect of the present invention there is provided a method for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:

- a) receiving a contribution from a user;
- 5 b) splitting the contribution into a number of parts in accordance with a predetermined ratio;
- c) allocating at least one of the parts of the contribution to one of the games; and
- d) modifying the predetermined ratio in response the measured performance of
- 10 the gaming apparatus.

In some preferred embodiments the measure of performance is the ratio of designed performance and the actual performance. Preferably the performance is determined by the ratio of the revenue of the gaming apparatus and the value of prizes paid by the gaming apparatus. More preferably the modification of the ratio is

15 proportional to the difference in designed performance and actual performance.

In one embodiment, the modified ratio  $I_n$  is determined in accordance with the formula:

$$I_n = I_{n-1} + \left[ \frac{RTP - P/T}{Q} \right]$$

where RTP is the designed performance, T is the revenue, P is the total prizes and Q is

20 a control variable.

In another embodiment, the modified ratio  $I_n$  is determined in accordance with the formula:

$$I_n = I_0 + \left[ \frac{RTP - P/T}{Q} \right]$$

where  $I_0$  is the base ratio, RTP is the designed performance, T is the revenue, P is the

25 total prizes and Q is a control variable.

In a further embodiment, the predetermined ratio is modified periodically. In another embodiment the predetermined ratio is modified in real time. In another embodiment the predetermined ratio is modified in response to the occurrence of non-time base criteria.

- 4 -

In one preferred embodiment the predetermined ratio is modified within an upper limit. Preferably or alternatively the predetermined ratio is modified within a lower limit.

According to a second aspect of the present invention there is provided  
5 apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:

- a) input means for receiving a contribution from a user;
- b) splitting means for splitting the contribution into a number of parts in accordance with a predetermined ratio;
- 10 c) allocating means for allocating at least one of the parts of the contribution to one of the games; and
- d) control means operable in response to the measured performance of the gaming apparatus to modify the predetermined ratio.

According to a third aspect of the present invention there is provided apparatus  
15 for use with a gaming machine to control the proportion of a user's contribution to a game, the apparatus comprising:

- performance measuring means operable to measure the performance of the gaming machine;
- control means operable in response to the performance of the gaming machine  
20 to modify the proportion of the user's contribution to the game,
- communication means for communicating the modified proportion to the gaming machine.

Unless the context clearly requires otherwise, throughout the specification the words "comprise", "comprising" and the like are to be construed in an inclusive as  
25 opposed to an exclusive sense; that is to say, in the sense of "included, but not limited to".

## **BRIEF DESCRIPTION OF THE DRAWINGS**

Preferred embodiments of the invention will now be described, by way of example only, with reference to the accompanying drawings in which:

30 Figure 1 is a schematic representation of a gaming system comprising gaming terminals;

Figure 2 is a schematic representation of the hardware associated with each of

- 5 -

the gaming system of figure 1;

Figure 3 is a graph illustrating an example of the performance of one of the gaming terminals of figure 1; and

Figure 4 is a flow chart showing steps performed by the gaming machines of figure 1.

## DETAILED DESCRIPTION

Figure 1 shows a gaming system 101 comprising a number of gaming machines 103 in communication with a system controller 105 via a network 107. The system controller 105 is also connected to a display 109. The system controller is also provided with a connection 111 to another system controller (not shown). Each gaming machine 103 comprises a screen 115 for displaying the game, which the terminal 103 offers, and a set of user controls 117 through which a user (not shown) inputs their choices in the running of the game. Each gaming machine also comprises a payment port 119 such as a coin slot or electronic card reader to enable the user to pay for the game to be played.

In return for a user submitting a suitable payment via the payment port 119 the gaming machine 103 enables the user to play a game of chance. The game may result in the user winning a prize. The likelihood of a gaming machine 103 awarding a prize for a particular game play is determined by the design of the game. The game is designed to pay out in prizes a percentage of what users pay in over a predetermined number of game plays i.e. the RTP%.

In the arrangement of figure 1, users are able to participate in two games that are linked. The first game provided by the gaming machines 103 as described above, and the jackpot controller 105 provides a second game. The second game is a communal jackpot built up from contributions from each of the gaming machines 103. The jackpot is incremented towards an upper limit in by the value of each contribution as it is received from the gaming machines 103 via the network 107. The jackpot controller 105 uses the display 109 to show the current value of the jackpot to the users of the gaming machines 103. The jackpot controller 105 is arranged to award the jackpot prize when the jackpot value increments over an undisclosed threshold. The threshold is set randomly or pseudo randomly of initialization of the system controller 105 or after the system controller 105 is reset in response to the awarding of

- 6 -

a previous jackpot.

Since the first game provided by the gaming machines 103 is linked to the second game provided by the game controller 105, the RTP% (which can be described as the money held aside from a user's payment to pay out prizes) is split between the first and second games. Each gaming machine 103 is arranged to split the RTP% from a game play in accordance with a predetermined ratio. The value of the RTP% that is allocated to the second game is communicated to the jackpot controller 105 via the network 107. This is the contribution referred to above that the jackpot controller 105 uses to increment the jackpot value. The jackpot is incremented by the value of the contribution i.e. the value of the RTP% allocated to the second game.

Figure 2 illustrates a part of the hardware of the gaming machine 103 and the jackpot controller 105. The split controller 200 is connected to a first game controller 201 which is in turn connected to a revenue input device 203 and a first accumulator 205. The first accumulator comprises two elements, a turnover meter 205a and a total prize payout meter 205b. The game controller 201 is also connected via the network 107 to a second game controller 207 in the jackpot controller 105. The game controller 207 is also connected to a second accumulator 209, which is in turn connected to the display 109 (not shown).

The revenue input device 203 is operable to accept monetary input from a user in the form of coins or notes, tokens, payment card or other suitable form of payment. The revenue input device 203 indicates the amount of the payment to the game controller 201, which responds by adding the input value to the accumulator 205. The accumulator 205 uses the turnover meter 205a to record the total amount of revenue received via the revenue input device 203. The game controller 201 is the element in the gaming machine that actually runs the first game in response to user commands input via the control panel 117 (figure 1). The game controller also controls the paying out prizes for the first game as they are won and records such events in the total prize payout meter 205b. The game controller is also arranged to communicate the split of the RTP% to the second game controller 207. This communication also includes data that identifies to the second game controller 207 which of the gaming machines 103 has provided a given split of the RTP%.

The game controller 201 is also responsive to signals from the split controller 200 to modify the RTP% split between first and second games. The split controller



– 7 –

200 is arranged to monitor the performance of the game being provided by the first game controller 201. The split controller 200 periodically reads the contents of the meters 205a and 205b and uses the contents to determine the ARTP% for the game. The ARTP% is then compared to the RTP% and results of this comparison used to  
5 generate a control signal to the game controller. The game controller uses the received control signal to modify the split of RTP% between the first and second games. The modification is arranged to reduce any divergence between the ARTP% and the RTP%. The operation of the split controller 200 will be described in further detail below.

10 The second game controller 207 responds to the signals from the first game controller by adding the indicated RTP% split value to the accumulator 209 and updates the display 109 (figure 1) with the revised jackpot value. The second game controller 207 is the element of the jackpot controller 105 that runs the second game. In other words, the game controller 207 sets the non-disclosed threshold value at  
15 which the jackpot will be paid out, receives signals from the gaming machines and updates the accumulator 209 and the display 109 with that value.

The game controller 207 initiates a prize payout when a received RTP% split value added to the accumulator 209 causes the jackpot to meet or exceed the payout threshold. When this occurs the game controller 207 identifies which of the gaming  
20 machines 103 triggered the jackpot and sends a signal to the identified machine. The gaming controller 201 of the identified gaming machine 103 responds to this signal by indicating to the user that the jackpot has been awarded and paying out the jackpot amount. In response to a jackpot award occurring the game controller 207 also resets the jackpot value and generates a new payout threshold before receiving further  
25 signals from the gaming machines 103 and incrementing the jackpot value in the accumulator 209 accordingly.

It should be noted that prizes paid out for the second game by the first game controller 201 are also recorded in the total prize payout meter 205b. These prize values are required for the calculation of the ARTP% for the gaming machine 103. In  
30 other words, the RTP% for a given machine is a combination of the winnings from both the first and second games.

Figure 3 is a graph illustrating the RTP% and ARTP% values over a specified period (t) for a typical gaming machine and for one of the gaming machines 103. For

– 8 –

both machines the RTP% 301 remains constant over time while the ARTP% 303, 305 for each machine varies. As a result, at any given time within the specified period t the ARTP% 303, 305 may be different from the RTP% 301. However, as a result of the modifications to the split made by the first game controller 201 in response to the signals from the split controller 200, the variation of the ARTP% 303 for the gaming machines of the present embodiment is reduced.

The operating process of one of the gaming machines 103 will now be described with reference to the flow chart of figure 4. At the first step 401 the gaming machine has just been switched on for the first time. In other words, the machine has just been commissioned and the accumulator 205 and its meters 205a, 205b are set to zero. The process holds at step 401 until a user inputs some monetary value at which point processing moves to step 403.

At step 403, a timer is checked to determine whether a predetermined period as elapsed. The predetermined period defines the frequency with which the split controller 200 monitors the ARTP% and modifies the split parameters accordingly. When the gaming machine has just been set up, the timer is set to an extended period. This extended period is designed to keep the split controller 200 inactive while the gaming machine establishes significant data in the meters 205a, 205b. If either the extended or the standard preset period has not expired processing continues to step 409 which is described in more detail below.

If when the processing moves to step 403 the period has elapsed then processing moves to step 405. At step 405 the ARTP% is calculated by obtaining the total revenue to date and the total prizes paid to date from the respective meters 205a, 205b. These figures are then used to calculate new split parameters in accordance with formula 1 or formula 2 below.

$$I_n = I_{n-1} + \left[ \frac{RTP - P/T}{Q} \right]$$

Formula 1

$$I_n = I_0 + \left[ \frac{RTP - P/T}{Q} \right]$$

Formula 2

- 9 -

In formula 1 and formula 2,  $n$  is the modification iteration, RTP is the RTP% of the game,  $T$  is the total revenue to date,  $P$  is the total prizes to date and  $Q$  is a variable. In formula 2,  $I_0$  is the base RTP% split value or ratio that is allocated to the second game. Initially,  $I_0$  is set to 2% and  $Q$  is set to 10.

- 5 The result of the calculation in step 405 is a modified allocation of RTP% to the second game in response to the difference between the RTP% of the game and the actual performance i.e. the ARTP%. In other words, if the ARTP% is greater than the RTP% then a lesser proportion of the RTP% is allocated to the second game and vice versa. This has the effect of mediating the ARTP% towards the expected RTP%.
- 10 Tables 1 and 2 below show some examples of the application of formulae 1 and 2 respectively.

Modification Iteration	Current Allocation of RTP% to Second Game	RTP%	ARTP%	Difference	New Allocation
1	2%	90.5%	92%	-1.5%	1.85%
2	1.85%	90.5%	91%	-0.5%	1.8%
3	1.8%	90.5%	90%	0.5%	1.85%
4	1.85%	90.5%	89%	1.5%	2%
5	2%	90.5%	91.5%	-1.0%	1.9%

Table 1

15

Modification Iteration	Current Allocation of RTP% to Second Game	RTP%	ARTP%	Difference	New Allocation
1	2%	90.5%	92%	-1.5%	1.85%
2	1.85%	90.5%	91%	-0.5%	1.95%
3	1.95%	90.5%	90%	0.5%	2.05%
4	2.05%	90.5%	89%	1.5%	2.15%
5	2.15%	90.5%	91.5%	-1.0%	1.9%

Table 2

- As can be seen from Tables 1 and 2 above, the formulae act to reduce the allocation to the second game from the initial value of 2% when the ARTP% is greater than the RTP%. However, when the situation is reversed and the difference becomes
- 20

– 10 –

positive, the formulae begin to increase the allocation. Once the new allocation has been calculated, the processing moves to step 407 at which the game controller 301 updates its RTP% split parameters in accordingly and processing moves to step 409.

At step 409 the gaming controller starts the game play sequence and while the  
5 game is in progress processing continues to step 411. At step 411 the meter 205a is updated with the value paid by the user for the game in progress and processing moves to step 413. At step 413 the gaming controller extracts from the accumulator the appropriate value of the split RTP% for the second game in accordance with the split parameters. The split parameters are either the preset values or may have been  
10 modified in step 407 above. This value is then signaled to the second game controller in combination with an indication of the identity of the current gaming machine.

Processing then moves to step 415 where it is determined whether a jackpot prize is due in response to any return signal from the second game controller 207. If a prize is due then processing moves to step 417. At step 417 the prize is paid and  
15 process then moves to step 419 and the meter 205b is updated with the value of the prize. If no jackpot prize signal arrives from the second gaming controller 201 before the end of the game play of the first game then processing moves from step 415 to step 419.

At step 419 it is determined whether a prize is due as a result of the end  
20 sequence of the current first game play. If a prize is due then processing moves to step 421 where the prize is paid and the process moves to step 423. At step 423 the meter 205b is updated to take into account the prize paid out. If no prize results from the game play then processing moves straight from step 419 to step 425.

At step 425, the gaming controller 201 establishes whether enough credit  
25 remains for a further game play and if not processing moves to step 401 where the user is prompted to input more credit. If at step 425 sufficient credit remains then processing moves to step 403 and continues as described above for that step.

In the embodiment described above the allocation of RTP% to the second game is initially set at 2%. If in some situations a game was particularly volatile it  
30 might be desirable to set limits to this allocation. In a further embodiment, the allocation is set with an upper limit or a lower limit, for example 3% and 1% respectively. In further another embodiment both upper and lower limits are in applied. Also, in the embodiment above, the control variable Q is set to 10. This

- 11 -

variable acts to control the size of the modification to the base RTP% allocation to the second game. Increasing Q results in a greater change to the split to the second game in response to the ARTP%. Decreasing Q has the opposite effect. The Q variable can be used to tune the system for prevailing conditions.

5 In some embodiments the split controller may be modified to operate in real time i.e. to monitor the ARTP% constantly and update the split parameters accordingly. In other embodiments the split controller may be arranged to monitor the ARTP% and modify the split parameters in response to non-time based criteria such as in response to prizes being paid out, a predetermined number of games having  
10 being played or for a given amount of revenue being generated. In some embodiments the split controller may be arranged to operate a random or pseudo-random intervals. In other embodiments, both time based and non time based triggers may be used. In one embodiment, the frequency of the operation of the split controller is determined by the magnitude of the difference between the RTP% and  
15 the ARTP%.

As will be understood by those skilled in the art, there will be other known formula that could be used in place of formula 1 or formula 2 which would have the effect of moderating the volatility of a given game. Such other smoothing formulae are well known. In some embodiments predictive algorithms may be used to predict  
20 the ARTP% in the short term in order to provide the modified split of RTP% to the second game.

As a post-manufacture addition to a gaming system, embodiments of the present invention may extend the life of a gaming machine. This may be particularly applicable in a situation where a volatile game has not had enough play time to  
25 complete its play cycle and thus perform to the expectations of the operator. Attaching an embodiment of the invention to such a volatile game would provide a compensating effect.

It will be understood by those skilled in the art that the apparatus that embodies a part or all of the present invention may be a general purpose device having  
30 software arranged to provide a part or all of an embodiment of the invention. The device could be single device or a group of devices and the software could be a single program or a set of programs. Furthermore, any or all of the software used to implement the invention can be communicated via various transmission or storage

– 12 –

means such as computer network, floppy disc, CD-Rom or magnetic tape so that the software can be loaded onto one or more devices.

Although the invention has been described with reference to specific embodiments, it will be appreciated by those skilled in the art that it may be embodied  
5 in other forms.

**CLAIMS**

1. A method of allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:
  - a) receiving a contribution from a user;
  - 5 b) splitting the contribution into a number of parts in accordance with a predetermined ratio;
  - c) allocating at least one of the parts of the contribution to one of the games; and
  - 10 d) modifying the predetermined ratio in response the measured performance of the gaming apparatus.
2. A method according to claim 1 in which the measure of performance is the ratio of designed performance and the actual performance.
- 15 3. A method according to claim 2 in which the performance is determined in dependence upon the ratio of the revenue of the gaming apparatus and the value of prizes paid by the gaming apparatus.
4. A method according to claim 3 in which the modification of the ratio is
  - 20 proportional to the difference in designed performance and actual performance.
5. A method according to any preceding claim in which the modified ratio  $I_n$  is determined in accordance with the formula:
 
$$I_n = I_{n-1} + \left[ \frac{RTP - P/T}{Q} \right]$$
- 25 where RTP is the designed performance, T is the revenue, P is the total prizes and Q is a control variable.

- 14 -

6. A method according to any one of Claims 1 to 4 in which the modified ratio  $I_n$  is determined in accordance with the formula:

$$I_n = I_0 + \left[ \frac{RTP - P/T}{Q} \right]$$

where  $I_0$  is the base ratio, RTP is the designed performance, T is the revenue, P is the total prizes and Q is a control variable.

7. A method according to any preceding claim in which the predetermined ratio is modified periodically.

8. A method according to any of claims 1 to 6 in which the predetermined ratio is modified in real time.

9. A method according to any preceding claim in which the predetermined ratio is modified in response to the occurrence of non-time base criteria.

15

10. A method according to any preceding claim in which the predetermined ratio is modified within an upper limit.

11. A method according to any preceding claim in which the predetermined ratio is modified within a lower limit.

12. Apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:

- a) input means for receiving a contribution from a user;
- b) splitting means for splitting the contribution into a number of parts in accordance with a predetermined ratio;
- c) allocating means for allocating at least one of the parts of the contribution to one of the games; and
- d) control means operable in response to the measured performance of the gaming apparatus to modify the predetermined ratio.



– 15 –

13. Apparatus according to claim 12 in which the measure of performance is the ratio of designed performance and the actual performance.

14. Apparatus according to claim 13 in which the performance is determined in  
5 dependence upon the ratio of the revenue of the gaming apparatus and the value of prizes paid by the gaming apparatus.

15. Apparatus according to claim 14 in which the modification of the ratio is proportional to the difference in designed performance and actual performance.

10

16. Apparatus according to any of claims 12 to 15 in which the modified ratio  $I_n$  is determined in accordance with the formula

$$I_n = I_{n-1} + \left[ \frac{RTP - P/T}{Q} \right]$$

where RTP is the designed performance, T is the revenue, P is the total prizes and Q is  
15 a control variable.

17. Apparatus according to any of claims 12 to 15 in which the modified ratio  $I_n$  is determined in accordance with the formula

$$I^n = I^0 + \left[ \frac{RTP - P/T}{Q} \right]$$

20 where  $I_0$  is the base ratio, RTP is the designed performance, T is the revenue, P is the total prizes and Q is a control variable.

18. Apparatus according to any of claims 11 to 17 in which the control means is operable to modify the predetermined ratio periodically.

25

19. Apparatus according to any of claims 11 to 17 in which the control means is operable to modify the predetermined ratio real time.

– 16 –

20. Apparatus according to any of claims 11 to 19 in which the control means is operable to modify the predetermined ratio in response to the occurrence of time independent criteria.

5 21. Apparatus according to any of claims 11 to 19 in which the control means is operable to modify the predetermined ratio within an upper limit.

22. Apparatus according to any of claims 11 to 21 in which the control means is operable to modify the predetermined ratio within a lower limit.

10

23. Apparatus for use with a gaming machine to control the proportion of a user's contribution to a game, the apparatus comprising:

performance measuring means operable to measure the performance of the gaming machine;

15 control means operable in response to the performance of the gaming machine to modify the proportion of the user's contribution to the game,

communication means for communicating the modified proportion to the gaming machine.

1 / 4




Figure 1




Figure 2





Figure 3



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2005/000246

<b>A. CLASSIFICATION OF SUBJECT MATTER</b>												
Int. Cl. <sup>7</sup> : G06F 17/60, 161:00												
According to International Patent Classification (IPC) or to both national classification and IPC												
<b>B. FIELDS SEARCHED</b>												
Minimum documentation searched (classification system followed by classification symbols)												
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched												
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)												
<b>USPTO:</b> ccl/463/26												
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>												
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.										
X	US 6471591 B1 (CRUMBY) 29 October 2002 Abstract, Lines 20-52, Column 2 & Line 65, Column 4 – Lines 7, Column 5	1-23										
X	US 5116055 A (TRACY) 26 May 1992 Abstract & Lines 65, Column 2 – Lines 60, Column 4	1-23										
A	US 6585592 B1 (CRUMBY) 1 July 2003 See Whole Document											
A	US 6062981 A (LUCIANO, JR.) 16 May 2000 See Whole Document											
<input type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex												
<p>* Special categories of cited documents:</p> <table border="0"> <tr> <td>"A" document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E" earlier application or patent but published on or after the international filing date</td> <td>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O" document referring to an oral disclosure, use, exhibition or other means</td> <td>"&amp;" document member of the same patent family</td> </tr> <tr> <td>"P" document published prior to the international filing date but later than the priority date claimed</td> <td></td> </tr> </table>			"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family	"P" document published prior to the international filing date but later than the priority date claimed	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention											
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone											
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art											
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family											
"P" document published prior to the international filing date but later than the priority date claimed												
Date of the actual completion of the international search 24 March 2005		Date of mailing of the international search report 07 APR 2005										
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaaustralia.gov.au Facsimile No. (02) 6285 3929		Authorized officer  <b>J.W. THOMSON</b> Telephone No : (02) 6283 2214										

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

**PCT/AU2005/000246**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
US	6471591	US	6585592	US	2003119586		
US	5116055	US	6471591	US	6585592	US	2003119586
US	6062981	US	6290603				
Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.							
END OF ANNEX							